Refine Search

Search Results -

Terms Document	
L240 and L244	14

Databasa


US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database

Database:

JPO Abstracts Database

Derwent World Patents Index IBM Technical Disclosure Bulletins

Search:



Search History

DATE: Friday, November 10, 2006 Purge Queries Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	Set Name result set
DB = 1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L245</u>	L240 and L244	14	<u>L245</u>
<u>L244</u>	thread and (heap or (shared near (resource or memory or address)))	7315	<u>L244</u>
<u>L243</u>	thread and (heap or (shared near (resource or memory or address)))and L241	1978	<u>L243</u>
<u>L242</u>	L240 and L241	3	<u>L242</u>
<u>L241</u>	thread with (heap or (shared near (resource or memory or address)))	1978	<u>L241</u>
<u>L240</u>	((switch\$3 or exchang\$3) near variable)	7712	<u>L240</u>
L239	@pd<20030623 and L238	75	<u>L239</u>
<u>L238</u>	thread and L236	186	L238
L237	thead and L236	0	<u>L237</u>
<u>L236</u>	L231 and L235	342	<u>L236</u>
L235	wait\$3 and L234	644	<u>L235</u>
<u>L234</u>	return\$3 near pointer with (resource or address or memory or area or region)	1101	<u>L234</u>
<u>L233</u>	@pd<20030623 and L232	61	<u>L233</u>

	,		
<u>L232</u>	L230 and L231	97	<u>L232</u>
<u>L231</u>	(shared or common) near (resource or address or memory or area or region)	76920	<u>L231</u>
<u>L230</u>	return\$3 near pointer with (local or global or shared)	171	<u>L230</u>
<u>L229</u>	L222 and L228	2	<u>L229</u>
<u>L228</u>	exchang\$3 near pointer	185	<u>L228</u>
<u>L227</u>	exchang\$3 with wait\$3 near pointer	. 1	<u>L227</u>
<u>L226</u>	exchang\$3 with local adj pointer	4	<u>L226</u>
<u>L225</u>	exchang\$3 near local adj pointer	0	<u>L225</u>
<u>L224</u>	L222 and L223	29	<u>L224</u>
<u>L223</u>	pointer near (resource or memory or area or address or space or region)	20554	L223
<u>L222</u>	pointer near wait\$3	145	L222
<u>L221</u>	(thread or task) and L220	59	L221
<u>L220</u>	pointer adj wait\$3	90	L220
<u>L219</u>	pointer near wait\$3 near (object or resource or component)	3	L219
<u>L218</u>	wait\$3 near pointer	145	L218
L217	wait\$3 near (pointer or variable)		L217
<u>L216</u>	local near (pointer or variable) near (thread or process)		L216
<u>L215</u>	thread near (swap\$4 or switch\$3 or exchang\$3) near (pointer or address)	•	L215
	L212 and L213		L214
<u>L213</u>	(global or shared) near (pointer or variable) with ((shared or common or secure or protect\$3) near (object or resource or memory or area or address or space or region))		L213
L212	local near (pointer or variable) with (thread or process)	784	L212
<u>L211</u>	L207 and L210	31	L211
<u>L210</u>	(exchang\$3 or switch\$3 or swap\$4 or chang\$3 or replac\$6) near pointer	5435	L210
	L207 and L208		L209
<u>L208</u>	pointer near wait\$3		L208
<u>L207</u>	pointer near ((shared or common or secure or protect\$3) near (object or resource or memory or area or address or space or region))		L207
<u>L206</u>	pointer near ((shared or common or secure or protect\$3) near (resource or memory or area or address or space or region))	240	<u>L206</u>
L205	5057996.pn.	2	L205
<u>L204</u>	(swap\$4 or switch\$3 or exchang\$3) near (pointer or address) with ((shared or common or secure or protect\$3) near (resource or memory or area or address or space or region))		<u>L204</u>
<u>L203</u>	indirect near pointer with (swap\$4 or switch\$3 or exchang\$3)	4	L203
<u>L202</u>	indirect near pointer with (swap\$4 or switch\$3 or exchang\$3) near (function or procedure or instruction)		<u>L202</u>
<u>L201</u>	(local with (global or shared) near pointer)	73	L201
<u>L200</u>	L52 and L199		L200
<u>L199</u>	(swap\$4 or switch\$3 or exchang\$3) near (function or procedure or instruction) near address		<u>L199</u>
<u>L198</u>	chang\$3 near local near pointer	8	<u>L198</u>

L197	((switch\$3 or exchang\$3) with ((local or global) near pointer))	29	L197
	L189 and L195		L196
	L169 and L183		L195
	L189 and L192		L194
	L189 aned L192	13056	
	jump\$3 with ((local or global) near variable)		L192
	L179 and L169		L191
L190	L184 and L189		L190
L189	L185 or L186 or L187 or L188		L189
L188	(719/312).ccls.		L188
	(709/213 709/214 709/215 709/216).ccls.		L187
	(711/147 711/148 711/149).ccls.		L186
<u>L185</u>	(718/100 718/101 718/102 718/103 718/104 718/105 718/106 718/107 718/108).ccls.		L185
<u>L184</u>	L179 and L183	134	L184
<u>L183</u>	(common or shared) near (resource or address or region or memory)	64464	
DB =	TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR		
<u>L182</u>	GOMES-CARLOS!	. 1	L182
<u>L181</u>	CHAN-HON-KEAT-W!	8	L181
DB =	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L180</u>	L178 and L179	11	L180
<u>L179</u>	((switch\$3 or exchang\$3) near pointer)	1170	L179
<u>L178</u>	pointer near wait\$3		L178
DB =	USPT; PLUR=YES; OP=OR		
<u>L177</u>	'4543627'.pn.	1	<u>L177</u>
<u>L176</u>	'4744023'.pn.	1	L176
DB =	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L175</u>	((switch\$3 or exchang\$3) near pointer) with (atomic\$4 or interupt\$3)	19	L175
<u>L174</u>	chang\$3 near pointer with (local or global)	35	L174
<u>L173</u>	chang\$3 near local near pointer with global	2	L173
DB =	USPT; PLUR=YES; OP=OR		
<u>L172</u>	'5950505'.pn.	1	<u>L172</u>
<u>L171</u>	'5892899'.pn.	1	<u>L171</u>
DB = 1	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L170</u>	jump\$3 near address and L169	53	<u>L170</u>
<u>L169</u>	(local and global) near (pointer or variable)	1084	<u>L169</u>
DB =	USPT; PLUR=YES; OP=OR		
<u>L168</u>	'5504930'.pn.	1	<u>L168</u>
<u>L167</u>	'5511207'.pn.	1	<u>L167</u>
<u>L166</u>	'5392207'.pn.	1	<u>L166</u>
<u>L165</u>	'5619409'.pn.	1	<u>L165</u>
<u>L164</u>	'5619409'.pn.	1	<u>L164</u>

DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR((switch\$3 or exchang\$3) near (pointer or variable)) with ((shared or common L163 26 <u>L163</u> or secure or protect\$3) near (resource or memory or area or address or space)) L162 L159 and L161 8 L162 <u>L161</u> (exchang\$3 or replac\$6) near pointer 1345 L161 <u>L160</u> L158 and L159 8 <u>L160</u> L159 access near (shared or common) near resource 2622 L159 L158 pointer near wait\$3 145 L158 L157 thread with access near resource and L156 8 L157 <u>L156</u> pointer near (local\$3 or global\$3) 1162 <u>L156</u> L155 L153 and L154 116 L155 <u>L154</u> shared near (area or address or memory or resource) 36938 L154 (replac\$6 or switch\$3 or exchang\$3 or chang\$3) with ((global or local) near L153 840 L153 (pointer or variable)) <u>L152</u> wait\$3 near flag with (shared near (area or address or memory or resource)) 3 L152 <u>L151</u> interchangeabl\$3 near pointer 19 L151 L150 L144 and L149 5 L150 exclus\$3 near access with (shared near (area or address or memory or L149 328 <u>L149</u> resource)) return\$ near (variable or pointer) with (shared near (area or address or L148 20 L148 memory or resource)) L147 L143 and L146 1 <u>L147</u> L146 pointer near wait\$3 145 L146 L145 L143 and L144 24 L145 <u>L144</u> ((replac\$6 or switch\$3 or exchang\$3 or chang\$3) near pointer) 5256 L144 L143 pointer near (shared near (area or address or memory or resource)) 175 L143 initializ\$5 near pointer with (shared near (area or address or memory or <u>L142</u> 3 L142 resource)) replac\$6 near pointer with (shared near (area or address or memory or L141 1 L141 resource)) indirect near referenc\$3 with (shared near (area or address or memory or L140 1 <u>L140</u> resource)) indriect near referenc\$3 with (shared near (area or address or memory or L139 0 L139 resource)) ((switch\$3 or exchang\$3 or chang\$3) near pointer) with (shared near (area or L138 8 <u>L138</u> address or memory or resource)) indirect near pointer with (shared near (area or address or memory or <u>L137</u> 4 L137 resource)) L136 L131 and L134 35 L136 L135 L119 and L134. 101 L135 <u>L134</u> initializ\$4 near (global or local) near (pointer or variable) 288 L134 L133 L131 and L132 114 L133 <u>L132</u> return near pointer with (area or address or memory or resource) 770 <u>L132</u>

<u>L131</u>	(exchang\$3 or chang\$3 or replac\$6) near (pointer or variable)	28329	<u>L131</u>
<u>L130</u>	L127 and L129	0	<u>L130</u>
<u>L129</u>	branch\$3 near (pointer or address) with access\$3 near (area or address or memory or resource)	140	<u>L129</u>
<u>L128</u>	L126 and L127	103	<u>L128</u>
<u>L127</u>	(exchang\$3 or chang\$3 or replac\$6) near pointer	4374	<u>L127</u>
<u>L126</u>	@pd<20030623 and L125	1637	<u>L126</u>
<u>L125</u>	pointer and L124	2200	<u>L125</u>
<u>L124</u>	L119 and L123	3645	<u>L124</u>
<u>L123</u>	branch\$3 near (pointer or address)	6806	<u>L123</u>
<u>L122</u>	@pd<20030623 and L121	181	<u>L122</u>
<u>L121</u>	pointer and L120	312	<u>L121</u>
<u>L120</u>	L118 and L119	810	<u>L120</u>
<u>L119</u>	access\$3 near (area or address or memory or resource)	383826	<u>L119</u>
<u>L118</u>	((thread or process) near (jump\$3 or thunk\$3))	3049	<u>L118</u>
<u>L117</u>	((jump\$3 or thunk\$3) with (local near variable))	27	<u>L117</u>
<u>L116</u>	((jump\$3 or thunk\$3) with (enter\$4 near (area or address or memory or resource)))	87	<u>L116</u>
<u>L115</u>	L86 and L114	54	L115
<u>L114</u>	(swap\$4 or switch\$3 or exchang\$3) with ((local or global or shared) near (variable or mutexes or semaphore))	243	<u>L114</u>
DB =	PGPB; $PLUR=YES$; $OP=OR$		
<u>L113</u>	US-20050060416-A1.did.	1	<u>L113</u>
DB =	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L112</u>	(swap\$4 or switch\$3 or exchang\$3) with ((local or global or shared) near (pointer))	52	<u>L112</u>
<u>L111</u>	(swap\$4 or switch\$3 or exchang\$3) near ((local or global or shared) near (pointer))	3	<u>L111</u>
<u>L110</u>	((swap\$4 or switch\$3 or exchang\$3) near (pointer)) with wait\$3	7	<u>L110</u>
DB =	USPT; PLUR=YES; OP=OR		
<u>L109</u>	'5805900'.pn.	1	<u>L109</u>
<u>L108</u>	'6052695'.pn.	1	<u>L108</u>
<u>L107</u>	'6105085'.pn.	1	<u>L107</u>
<u>L106</u>	'6105085'.pn.	1	<u>L106</u>
DB =	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
L105	L81 and L104	57	<u>L105</u>
<u>L104</u>	((swap\$4 or switch\$3 or exchang\$3) near (pointer))	1374	<u>L104</u>
<u>L103</u>	L86 and L102	32	<u>L103</u>
<u>L102</u>	((local and global) with (mutex or semaphore))	51	<u>L102</u>
<u>L101</u>	((local and global) near (mutex or semaphore))	12	<u>L101</u>
<u>L100</u>	L95 and L99	12	<u>L100</u>
<u>L99</u>	content\$5 near (shared or common) near (resource or address or memory or	649	<u>L99</u> .

	area or region)		
<u>L98</u>	L81 and L97	2	<u>L98</u>
<u>L97</u>	L95 and L88	12	<u>L97</u>
<u>L96</u>	L94 and L95	4	<u>L96</u>
<u>L95</u>	pointer near (shared or common) near (resource or address or memory or area or region)	169	<u>L95</u>
<u>L94</u>	((switch\$3 or exchang\$3) near (function or procedure or method)) with (shared or common) near (resource or address or memory or area or region)	151	<u>L94</u>
<u>L93</u>	L81 and L92	63	<u>L93</u>
<u>L92</u>	L88 and L91	560	<u>L92</u>
<u>L91</u>	(thread or process) near wait\$3	9625	<u>L91</u>
<u>L90</u>	(thread or process) near wait	6704	<u>L90</u>
<u>L89</u>	L81 and L88	982	<u>L89</u>
<u>L88</u>	((switch\$3 or exchang\$3) near (function or procedure or method))	121056	<u>L88</u>
<u>L87</u>	L85 and L86	8	<u>L87</u>
<u>L86</u>	(shared or common) near (resource or address or memory or area or region)	76920	<u>L86</u>
<u>L85</u>	((switch\$3 or exchang\$3) near (function or procedure or method)) with (atomic\$4 or without near interrupt\$3)	129	<u>L85</u>
<u>L84</u>	L81 and L83	3	<u>L84</u>
<u>L83</u>	((switch\$3 or exchang\$3 or chang\$3) near (function or procedure or method)) with (atomic\$4 or without near interrupt\$3)	234	<u>L83</u>
<u>L82</u>	L80 and L81	91	L82
<u>L81</u>	access\$3 near (resource or ((shared or common) near (address or memory or area or region)))	19994	<u>L81</u>
<u>L80</u>	((return\$3 or relinquish\$3) near pointer) with (resource or memory)	614	L80
<u>L79</u>	(pointer near (resource or wait\$3))	632	<u>L79</u>
<u>L78</u>	L60 and L77	68	<u>L78</u>
<u>L77</u>	(local and (shared or global)) near (pointer or variable)	1224	L77
<u>L76</u>	L62 and L74	0	<u>L76</u>
<u>L75</u>	L60 and L74		L75
<u>L74</u>	(alter\$3 or chang\$3) near (local and (shared or global))	268	<u>L74</u>
<u>L73</u>	(alter\$3 or chang\$3) with (local and (shared or global))	3295	<u>L73</u>
<u>L72</u>	(alter\$3 or chang\$3) with (local and (shared or global)) near pointer	2	<u>L72</u>
<u>L71</u>	(swap\$4 or switch\$3 or exchang\$3) with (local and (shared or global)) near pointer	3	<u>L71</u>
<u>L70</u>	718/???.ccls. and L68	6	<u>L70</u>
<u>L69</u>	L62 and L68	5	L69
<u>L68</u>	@pd<20030623 and L67	205	L68
<u>L67</u>	L60 and L66	297	<u>L67</u>
<u>L66</u>	(swap\$4 or switch\$3 or exchang\$3) near (local or shared or global)	17665	<u>L66</u>
<u>L65</u>	pointer and L57	25	L65
<u>L64</u>	pointer and L62	1374	<u>L64</u>

<u>L63</u>	L57 and L62	1	<u>L63</u>
<u>L62</u>	(swap\$4 or switch\$3 or exchang\$3) near pointer	1374	<u>L62</u>
<u>L61</u>	L57 and L60	6	<u>L61</u>
<u>L60</u>	(access\$3) near ((shared or common or protected) near (resource or address or region or portion or memory or area))	8724	<u>L60</u>
<u>L59</u>	L57 and L58	1	<u>L59</u>
<u>L58</u>	(pointer) near ((shared or common or protected) near (resource or address or region or portion or memory or area))	232	<u>L58</u>
<u>L57</u>	(branch\$3 or jump\$3) near ((shared or common or protected) near (resource or address or region or portion or memory or area))	150	<u>L57</u>
<u>L56</u>	(branch\$3 or jump\$3) near ((shared or common or protected) near (address or region or portion or memory or area))	150	<u>L56</u>
<u>L55</u>	L52 and L54	20	<u>L55</u>
<u>L54</u>	(branch\$3 or jump\$3) near (swap\$4 or switch\$3 or exchang\$3) near (function or procedure or instruction)	250	<u>L54</u>
<u>L53</u>	L51 and L52	45	<u>L53</u>
<u>L52</u>	((shared or common or protected) near (address or region or portion or memory or area))	108869	<u>L52</u>
<u>L51</u>	(swap\$4 or switch\$3 or exchang\$3) near (function or procedure or instruction) with ((memory or address) near (location or pointer))	150	<u>L51</u>
<u>L50</u>	(swap\$4 or switch\$3 or exchang\$3) near (function or procedure or instruction) near pointer	31	<u>L50</u>
<u>L49</u>	L44 and L48	89	<u>L49</u>
<u>L48</u>	(pointer or address) near wait\$3	1083	<u>L48</u>
<u>L47</u>	(pointer or address) near wait	660	<u>L47</u>
<u>L46</u>	L44 and L45	52	<u>L46</u>
<u>L45</u>	(exchang\$3 near (variable or pointer or address))	2859	<u>L45</u>
<u>L44</u>	(pointer or address) near ((shared or common) near (resources or address or region or memory or space) or heap)	6714	<u>L44</u>
<u>L43</u>	thread and L42	17	<u>L43</u>
<u>L42</u>	L40 and L41	129	<u>L42</u>
<u>L41</u>	(shared or common) near (address or region or memory or space) or heap	71773	<u>L41</u>
<u>L40</u>	(exchang\$3 or switch\$3) near (local or global or shared) with (variable or pointer or address)	881	<u>L40</u>
<u>L39</u>	(exchang\$3 or switch\$3) near (variable or pointer or address) with heap	4	<u>L39</u>
<u>L38</u>	L37 and L35	38	<u>L38</u>
<u>L37</u>	(exchang\$3 or switch\$3) near (tasks or thread)	5753	<u>L37</u>
<u>L36</u>	switch\$3 near (tasks or thread)	5031	<u>L36</u>
<u>L35</u>	global adj variables and local adj variables	871	<u>L35</u>
<u>L34</u>	thread and L33	54	<u>L34</u>
<u>L33</u>	@pd<20030623 and L32	962	<u>L33</u>
<u>L32</u>	L28 and L31	1461	<u>L32</u>
<u>L31</u>	(exchang\$3 or switch\$3) near (pointer or address or variable)	19940	<u>L31</u>

<u>L30</u>	L28 and L29	1362	<u>L30</u>
<u>L29</u>	(exchang\$3 or switch\$3) near (pointer or address)	12311	<u>L29</u>
<u>L28</u>	(shared or common) near (address or region or memory or space)	58006	<u>L28</u>
<u>L27</u>	L21 and L26	44	<u>L27</u>
<u>L26</u>	thread with (heap or (shared near (resource or memory)))	1960	<u>L26</u>
<u>L25</u>	L21 and L24	1	<u>L25</u>
<u>L24</u>	thread near (heap or (shared near (resource or memory)))	206	<u>L24</u>
<u>L23</u>	thread and L22	113	<u>L23</u>
<u>L22</u>	L21 and (heap or (shared near (resource or memory)))	182	<u>L22</u>
<u>L21</u>	class near pointer	812	<u>L21</u>
<u>L20</u>	class with (property near pointer) and (heap or (shared near (resource or memory)))	4	<u>L20</u>
<u>L19</u>	((exchang\$3 or switch\$3) near (pointer or address)) with (heap or (shared near (resource or memory)))	16	<u>L19</u>
<u>L18</u>	L16 and L17	36	<u>L18</u>
<u>L17</u>	pointer near class	812	<u>L17</u>
<u>L16</u>	pointer near (heap or (shared near (resource or memory)))	375	<u>L16</u>
<u>L15</u>	thread near pointer with (heap or (shared near (resource or memory)))	2	<u>L15</u>
<u>L14</u>	thread near pointer near (function or method)	8	<u>L14</u>
<u>L13</u>	L11 and L12	25	<u>L13</u>
<u>L12</u>	request with (heap or (shared near (resource or memory)))	4068	<u>L12</u>
<u>L11</u>	thread with (local near (address or pointer or reference or variable))	379	<u>L11</u>
DB=	USPT; PLUR=YES; OP=OR		
<u>L10</u>	US-6009426-A.did.	1	<u>L10</u>
<u>L9</u>	US-6009426-A.did.	1	<u>L9</u>
DB=	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L8</u>	@pd<20030623 and L7	61	<u>L8</u>
<u>L7</u>	shared near (resource or memory or address or region) and L6	128	<u>L7</u>
<u>L6</u>	pointer with atomic\$4	356	<u>L6</u>
<u>L5</u>	(creat\$3 or instantiat\$3) near pointer with atomic\$4	4	<u>L5</u>
<u>L4</u>	pointer near (heap or shared near (resource or memory or address or region or region)) with atomic\$4	0	<u>L4</u>
<u>L3</u>	pointer near (heap or shared near (resource or memory or address or region or region))	383	<u>L3</u>
<u>L2</u>	atomic\$4 and L1	18	<u>L2</u>
<u>L1</u>	(creat\$3 or instantiat\$3) near ((global or shared) near variable)	91	<u>L1</u>
	•		

END OF SEARCH HISTORY